# **Historical Moments in Newborn Hearing Screening**

## **1965 - Babbidge Report** (Report to the Secretary of HEW). 1

• Recommended the development and nationwide implementation of "universally applied procedures for early identification and evaluation of hearing impairment."

#### 1967 - Recommendations from the National Conference on Education of the Deaf 2

- High-risk register to facilitate identification.
- Public information campaign.
- Testing of infants and children 5-12 months of age should be investigated.

### **1988-** Commission on Education of the Deaf 3

• Reported the average age of identification for profoundly deaf children in the US was 2 ½ years.

**1988 - An advisory group of national experts** convened by the U.S. Department of Education and Bureau of Maternal and Child Health for the purpose of advising the government about the feasibility of developing guidelines on early identification. 4

 Recommended that the federal government fund demonstration projects to expand and document systematically the cost efficiency of proven techniques already in existence but infrequently used.

### **1988- Former Surgeon General** C. Everett Koop issued a challenge 5

• That by the year 2000, 90% of children with significant hearing loss be identified by 12 months of age.

### 1990- Joint Committee on Infant Hearing (JCIH)- Position Statement 6

• Recommended that high-risk infants be screened prior to their discharge from the hospital and no later than 3 months after their birth.

### **1990 - Healthy People 2000** 7

• Goal: To reduce the average age at which children with significant hearing impairment are identified to no more than 12 months by year 2000.

### 1993- National Institutes of Health(NIH) Consensus Development Program 8

• Recommended all newborns be screened for hearing loss before leaving the hospital.

## **1994**- The JCIH Position statement 9

• Recommended that "all infants with hearing loss should be identified before 3 months of age and receive intervention by 6 months of age."

### 1999- The American Academy of Pediatrics endorses:10

- Universal newborn hearing screening.
- Detection of hearing loss before three months of age.
- Intervention services initiated by six months of age.

#### 2000- The JCIH Year 2000 Position Statement:11

• Principles and Guidelines for for Early Hearing Detection and Intervention Programs.

### References

- 1) Babbidge. Education of the Deaf in the United States: Report of the Advisory Committee on Education of the Deaf. Washington, DC: U.S. Government Printing Office, 1995.
- 2) U.S. Department of Health, Education, and Welfare. Education of the Deaf: The Challenge and the Charge. A Report of the National Conference on Education of the Deaf. Washington, DC: U.S. Government Printing Office, 1998.
- 3) Commission on Education of the Deaf. Toward Equality: Education of the Deaf. Washington, DC: U.S. Government Printing Office, 1988.
- 4) Advisory Group on the Early Identification of Children with Hearing Impairments. Minutes of the Bureau of Maternal and Child Health/Office of Special Education and Rehabilitative Services Advisory Group on the Early Identification of Children with Hearing Impairments. Washington, DC: Bureau of Maternal and Child Health. 1988.
- 5) Mauk G.W., Behrens T.R. Historical, political, and technological context associated with early identification of hearing loss. Seminars in Hearing, 1993;14: 1-17.
- 6) Joint Committee on Infant Hearing. 1990 position statement. American Speech/Language Hearing Association, 1991; 33(Suppl. 5): 3-6.
- 7) U.S. Department of Health and Human Services, Public Health Service. Healthy People 2000: National Health Promotion and Disease Prevention Objectives. Washington, DC: U.S. Government Printing Office, 1990.
- 8) National Institutes of Health (NIH) Consensus Statement. Early Identification of Hearing Impairment in Infants and Young Children, 1993; 11(1):1-24.
- 9) Joint Committee on Infant Hearing. 1994 position statement. Pediatrics, 1995; 95: 152-156.
- 10) American Academy of Pediatrics Newborn and Infant Hearing Loss: Detection and Intervention. Pediatrics 1999; 103(2): 527-530.
- 11) Joint Committee on Infant Hearing. 2000 position statement